



Rx Thuốc kê đơn

Diệp Hạ Châu Caps

TRỊ VIÊM GAN - TIÊU ĐỘC

ĐỌC KỸ HƯỚNG DẪN SỬ DỤNG TRƯỚC KHI DÙNG

ĐỂ XA TẤM TAY TRẺ EM

Thuốc này chỉ dùng theo đơn thuốc

1. Thành phần công thức thuốc:

Thành phần hoạt chất: Cao khô Diệp hạ châu 10:1 (<i>Extractum herba phyllanthi urinariae siccus</i>) (tương đương 4,5 g diệp hạ châu (<i>Herba phyllanthi urinariae</i>))	450mg
Thành phần tá dược: Avicel PH101, Talc, Magnesi stearat, Nipagin, Nipasol	vừa đủ 1 viên

2. Dạng bào chế: viên nang cứng màu xanh, bên trong chứa bột thuốc màu nâu đen, có mùi thơm dược liệu, vị đắng.

3. Chỉ định

- Điều trị viêm gan, thiếu năng gan, viêm gan gây mệt mỏi, ăn khó tiêu, vàng da, bí đại tiểu tiện, táo bón.

- Tiêu độc trong các trường hợp: Đỉnh rầu, mụn nhọt, viêm thần kinh da, lở ngứa.

4. Cách dùng, liều dùng:

4.1. Liều dùng:

- Người lớn: mỗi lần uống 2 viên x 2 lần/ngày.

- Trẻ em: uống 1 viên/lần x 2 lần/ngày.

Dùng mỗi đợt 2-3 tháng hoặc theo chỉ định của bác sỹ.

4.2. Cách dùng:

Uống sau khi ăn.

5. Chống chỉ định:

- Mẫn cảm với bất cứ thành phần nào của thuốc.

- Phụ nữ có thai và cho con bú.

6. Cảnh báo và thận trọng khi dùng thuốc:

Thận trọng cho nam giới có ý định sinh con.

7. Sử dụng thuốc cho phụ nữ có thai và cho con bú:

Không dùng thuốc cho phụ nữ có thai và cho con bú.

8. Ảnh hưởng của thuốc lên khả năng lái xe, vận hành máy móc: Chưa có bằng chứng về ảnh hưởng của thuốc lên khả năng lái xe và vận hành máy móc.

9. Tương tác thuốc và tương kỵ:

Tương tác thuốc: chưa có báo cáo.

Do không có nghiên cứu về tính tương kỵ của thuốc, không trộn lẫn thuốc này với các thuốc khác.

10. Tác dụng không mong muốn của thuốc:

Chưa ghi nhận được báo cáo về phản ứng có hại của thuốc.

Thông báo ngay cho bác sỹ hoặc dược sỹ những tác dụng không mong muốn gặp phải khi sử dụng thuốc.

11. Quá liều và cách xử trí:

11.1. Quá liều: thuốc dung nạp tốt, chưa có thông tin về trường hợp quá liều, không dùng quá liều chỉ định của thuốc.

11.2. Xử trí: Tích cực theo dõi để có biện pháp xử trí kịp thời.

12. Quy cách đóng gói:

Hộp 2 vỉ, hộp 10 vỉ x 10 viên.

13. Điều kiện bảo quản, hạn dùng, tiêu chuẩn chất lượng của thuốc:

- **Điều kiện bảo quản:** Nơi khô ráo, nhiệt độ không quá 30°C, tránh ánh sáng trực tiếp.

- **Hạn dùng:** 36 tháng kể từ ngày sản xuất.

- **Tiêu chuẩn chất lượng:** Tiêu chuẩn cơ sở.

Tên, địa chỉ của cơ sở sản xuất:

CÔNG TY CỔ PHẦN DƯỢC VẬT TƯ Y TẾ HẢI DƯƠNG

Địa chỉ: Số 102 phố Chi Lăng, phường Nguyễn Trãi, thành phố Hải Dương, tỉnh Hải Dương

Điện thoại: 0220.3 853848 - Hotline: 18001107 - Website: hdpharma.vn



Rx Prescription only

Diệp Hạ Châu Caps

TREATMENT OF HEPATITIS - ANTIDOTAL

READ THE INSTRUCTION CAREFULLY BEFORE USING.
KEEP OUT OF THE REACH OF CHILDREN.

This drug is for prescription only

1. Qualitative and quantitative composition:

Active ingredient: <i>Extractum Herba Phyllanthi urinariae siccus</i> (Equivalent to 4,5g of <i>Herba Phyllanthi urinariae</i>)	450 mg
Excipients: Avicel PH101, Talc, Magnesium stearate, Nipagin, Nipasol	q.s.f 1 capsule

2. Dosage form: Blue hard capsule, contains dark brown powder inside, with medicinal aroma, bitter taste

3. Indications:

- For treatment of hepatitis, impaired hepatic fuction, tiredness caused by hepatitis, indigestion, jaundice, retention of urine, constipation.
- For detoxification in some cases: Small boil round the mouth, carbuncles, inflammation of subcutaneous nerve, ulceration caused of itching.

4. Dosage and administration:

4.1 Dosage:

- Adults: 2 hard capsules each time, twice daily
- Children: 1 hard capsule each time, twice daily
- * 2 to 3 mouths in each therapy or as directed by physician

4.2 Administration: Use after a meal

5. Contraindications:

- Hypersensitivity to any composition of the drug.
- Pregnant and lactating women.

6. Special warnings and precaution for use:

Caution for men who are planning to have children.

7. Pregnancy and lactation:

Do not use the drug for pregnant and lactating women.

8. Effects on ability to drive and use machines: There is no evidence on the effect of the drug on the ability to drive and use machines.

9. Interaction with other medicinal products and other forms of interaction:

Drug interactions: not reported.

Since the drug incompatibility has not been studied, do not mix this drug with other drugs.

10. Adverse effects:

No adverse drug reactions have been reported.

Immediately inform your doctor or pharmacist of any unwanted effects encountered while using the drug.

11. Overdosage

11.1. Overdose: the drug is well tolerated, there is no information on overdose cases, do not exceed the indicated dose of the drug.

11.2. Treatment: Actively monitor for timely treatment measures.

12. Packing: Box of 2 blisters, box of 10 blisters x 10 hard capsules.

13. Storage, shelf life, specification:

- **Storage:** Store in dry place, at temperature not exceed 30°C, protected from light directly.

- **Shelf life:** 36 months from manufacture date.

- **Specifications:** Manufacturer's

Manufactured by:

HAI DUONG PHARMACEUTICAL MEDICAL MATERIAL JOINT STOCK COMPANY

Add: No. 102 Chi Lang street, Nguyen Trai ward, Hai Duong city, Hai Duong province, Viet Nam

Tel: +84. 220.3 853848 - Hotline: 18001107 - Website: hdpharma.vn